

Day : Monday  
Date: 7/26/2004

Time: 11:45:54


**PALM INTRANET**

## Inventor Name Search Result

Your Search was:

Last Name = LEE

First Name = KYU

| Application#    | Patent#    | Status | Date Filed | Title  | Inventor Name 51 |
|-----------------|------------|--------|------------|--|------------------|
| <u>60517029</u> | Not Issued | 020    | 11/04/2003 | ERGONOMIC MOUSE WITH MUTABLE PALM REST   | LEE, KYU         |
| <u>60497920</u> | Not Issued | 020    | 08/27/2003 | INFORMATION STORAGE MEDIUM, METHOD AND APPARATUS FOR RECORDING AN/OR REPRODUCING POINTING INFORMATION                              | LEE, KYUNG-GEUN  |
| <u>60181534</u> | Not Issued | 159    | 02/10/2000 | CARIES DETECTOR PASTES   | LEE, KYUHO       |
| <u>29193415</u> | Not Issued | 094    | 11/07/2003 | PORTABLE KARAOKE SYSTEM  | LEE, KYUNG HO    |
| <u>10707024</u> | Not Issued | 030    | 11/14/2003 | [GOLF CLUB HEAD]   | LEE, KYU WANG    |
| <u>10695393</u> | Not Issued | 030    | 10/29/2003 | OPTICAL DISC HAVING TRACKING POLARITY INFORMATION, AND APPARATUSES AND METHODS FOR RECORDING AND REPRODUCING USER DATA ON THE SAME | LEE, KYUNG-GEUN  |
| <u>10694877</u> | Not Issued | 030    | 10/29/2003 | THERMAL OVERLOAD RELAY   | LEE, KYUNG KU    |
| <u>10688077</u> | Not Issued | 030    | 10/16/2003 | INTEGRATED CIRCUIT CAPACITOR STRUCTURE   | LEE, KYUNG-TAE   |
| <u>10685116</u> | Not Issued | 030    | 10/14/2003 | CMOS INTEGRATED CIRCUIT DEVICES AND SUBSTRATES HAVING BURIED SILICON GERMANIUM LAYERS THEREIN AND METHODS OF FORMING SAME          | LEE, KYUNG-WOOK  |
| <u>10683328</u> | Not Issued | 030    | 10/09/2003 | NITRIDE SEMICONDUCTOR FIELD EFFECT TRANSISTOR (FET) AND METHOD OF  | LEE, KYU SEOK    |

|                 |               |     |            |  |                     |
|-----------------|---------------|-----|------------|--|---------------------|
|                 |               |     |            | FABRICATING THE SAME   |                     |
| <u>10682989</u> | Not<br>Issued | 030 | 10/14/2003 | SOLVENT SYSTEM OF HARDLY<br>SOLUBLE DRUG WITH<br>IMPROVED DISSOLUTION RATE   | LEE, KYUNG-<br>SIK  |
| <u>10682237</u> | Not<br>Issued | 030 | 10/09/2003 | AUTHENTICATION METHOD<br>FOR FAST HANDOVER IN A<br>WIRELESS LOCAL AREA<br>NETWORK  | LEE, KYUNG-<br>HEE  |
| <u>10680420</u> | Not<br>Issued | 030 | 10/08/2003 | APPARATUS AND METHOD FOR<br>OUTPUTTING DIFFERENT<br>DISPLAY IDENTIFICATION<br>DATA DEPENDING ON TYPE OF<br>CONNECTOR   | LEE, KYUNG-<br>SHIK |
| <u>10678633</u> | Not<br>Issued | 020 | 10/06/2003 | READ-ONLY INFORMATION<br>STORAGE MEDIUM AND<br>METHOD OF REPRODUCING<br>DATA FROM THE SAME   | LEE, KYUNG-<br>GEUN |
| <u>10678531</u> | Not<br>Issued | 030 | 10/03/2003 | INTEGRATED CIRCUIT<br>CAPACITOR STRUCTURE  | LEE,<br>KYUNGTAE    |
| <u>10673402</u> | Not<br>Issued | 030 | 09/30/2003 | INFORMATION STORAGE<br>MEDIUM AND METHOD OF<br>RECORDING/REPRODUCING<br>THE SAME   | LEE, KYUNG-<br>GEUN |
| <u>10671549</u> | Not<br>Issued | 030 | 09/29/2003 | PURIFICATION APPARATUS<br>AND METHOD   | LEE, KYUNG<br>HOON  |
| <u>10671453</u> | Not<br>Issued | 030 | 09/29/2003 | APPARATUS AND METHOD FOR<br>PROCESSING MULTIMEDIA<br>AUDIO SIGNAL FOR A VOICE<br>CALL IN A MOBILE TERMINAL<br>CAPABLE OF RECEIVING<br>DIGITAL MULTIMEDIA<br>BROADCASTING SERVICE                                     | LEE, KYUNG-HA       |
| <u>10670363</u> | Not<br>Issued | 030 | 09/26/2003 | METHOD OF AND APPARATUS<br>FOR MANAGING DISC DEFECTS<br>USING TEMPORARY DEFECT<br>MANAGEMENT INFORMATION<br>(TDFL) AND TEMPORARY<br>DEFECT MANAGEMENT<br>INFORMATION (TDDS), AND<br>DISC HAVING THE TDFL AND<br>TDDS | LEE, KYUNG-<br>GEUN |
| <u>10670077</u> | Not<br>Issued | 030 | 09/23/2003 | HETEROCYCLIC COMPOUNDS<br>AS LIGANDS OF THE GABAA<br>RECEPTOR  | LEE, KYUNGAE        |
| <u>10657490</u> | Not           | 030 | 09/08/2003 | INTEGRATED CIRCUIT   | LEE, KYUNG-         |

|                 |            |     |            |  |                 |
|-----------------|------------|-----|------------|--|-----------------|
|                 | Issued     |     |            | DEVICES INCLUDING A MIM CAPACITOR  | TAE             |
| <u>10655423</u> | Not Issued | 030 | 09/04/2003 | METHOD OF MANUFACTURING SEMICONDUCTOR DEVICE HAVING METAL INTERCONNECTIONS OF DIFFERENT THICKNESS  | LEE, KYUNG-TAE  |
| <u>10654617</u> | Not Issued | 030 | 09/04/2003 | OPTICAL INFORMATION STORAGE MEDIUM AND METHOD OF RECORDING INFORMATION ON AND/OR REPRODUCING INFORMATION FROM THE OPTICAL INFORMATION STORAGE MEDIUM | LEE, KYUNG-GEUN |
| <u>10644863</u> | Not Issued | 030 | 08/21/2003 | ONE SIZE FIT WEAR  | LEE, KYU NAM    |
| <u>10633564</u> | Not Issued | 030 | 08/05/2003 | OPTICAL INFORMATION STORAGE MEDIUM   | LEE, KYUNG-GEUN |
| <u>10633562</u> | Not Issued | 030 | 08/05/2003 | BIT LINE PRE-CHARGE CIRCUIT OF SEMICONDUCTOR MEMORY DEVICE   | LEE, KYU-CHAN   |
| <u>10630977</u> | Not Issued | 030 | 07/31/2003 | OPTICAL INFORMATION STORAGE MEDIUM AND METHOD OF RECORDING INFORMATION THEREON   | LEE, KYUNG-GEUN |
| <u>10630965</u> | Not Issued | 020 | 07/31/2003 | INFORMATION STORAGE MEDIUM AND METHOD OF RECORDING AND/OR REPRODUCING WITH RESPECT TO THE MEDIUM   | LEE, KYUNG-GEUN |
| <u>10630927</u> | Not Issued | 030 | 07/31/2003 | INFORMATION STORAGE MEDIUM AND METHOD OF RECORDING AND/OR REPRODUCING WITH RESPECT TO THE MEDIUM   | LEE, KYUNG-GEUN |
| <u>10630834</u> | Not Issued | 030 | 07/31/2003 | OPTICAL INFORMATION STORAGE MEDIUM AND METHOD OF RECORDING INFORMATION THEREON   | LEE, KYUNG-GEUN |
| <u>10630774</u> | Not Issued | 020 | 07/31/2003 | INFORMATION STORAGE MEDIUM AND METHOD OF RECORDING AND/OR REPRODUCING WITH RESPECT TO THE MEDIUM   | LEE, KYUNG-GEUN |
| <u>10630735</u> | Not        | 018 | 01/01/0001 | INFORMATION STORAGE  | LEE, KYUNG-     |

|                 |                |     |            |   |                 |
|-----------------|----------------|-----|------------|---|-----------------|
|                 | Issued         |     |            | MEDIUM AND METHOD OF RECORDING INFORMATION THEREON  | GEUN            |
| <u>10624634</u> | Not Issued     | 030 | 07/23/2003 | OPTICAL INFORMATION STORAGE MEDIUM AND METHOD OF RECORDING DATA THEREON                                   | LEE, KYUNG-GEUN |
| <u>10624327</u> | Not Issued     | 030 | 07/22/2003 | FERROELECTRIC MEMORY DEVICES WITH EXPANDED PLATE LINE AND METHODS OF FABRICATING THE SAME                 | LEE, KYU-MANN   |
| <u>10452942</u> | Not Issued     | 030 | 06/03/2003 | METHOD OF AND APPARATUS FOR RECORDING DATA ON AN OPTICAL RECORDING MEDIUM                                 | LEE, KYUNG-GEUN |
| <u>10451028</u> | Not Issued     | 030 | 06/18/2003 | THERMOPLASTIC RESIN COMPOSITION HAVING EXCELLENT CHEMICAL RESISTANCE AND EASY VACUUM FORMABILITY          | LEE, KYUNG NAM  |
| <u>10447201</u> | Not Issued     | 020 | 05/29/2003 | OPTICAL DISC HAVING A PLURALITY OF RECORDING LAYERS, AND RECORDING METHOD AND REPRODUCING METHOD THEREFOR | LEE, KYUNG-GEUN |
| <u>09870472</u> | <u>6710165</u> | 150 | 06/01/2001 | IGE-DEPENDENT HISTAMINE-RELEASING FACTOR PEPTIDES   | LEE, KYUNGLIM   |
| <u>09855622</u> | Not Issued     | 161 | 05/16/2001 | MATRIX-TYPE DISPLAY DEVICE CAPABLE OF BEING REPAIRED IN PIXEL UNIT  | LEE, KYUNG-NAM  |
| <u>09840741</u> | <u>6602773</u> | 150 | 04/23/2001 | METHODS OF FABRICATING SEMICONDUCTOR DEVICES HAVING PROTECTED PLUG CONTACTS AND UPPER INTERCONNECTIONS    | LEE, KYU-HYUN   |
| <u>09827873</u> | Not Issued     | 161 | 04/06/2001 | L-BAND OPTICAL FIBER AMPLIFIER  | LEE, KYU HAENG  |
| <u>09825346</u> | <u>6607955</u> | 150 | 04/04/2001 | METHOD OF FORMING SELF-ALIGNED CONTACTS IN A SEMICONDUCTOR DEVICE   | LEE, KYU-HYUN   |
| <u>09824136</u> | <u>6482494</u> | 150 | 04/03/2001 | HEMICYANINE DYES AND OPTICAL RECORDING MEDIA USING THE SAME   | LEE, KYU-YOUN   |
| <u>09823761</u> | Not Issued     | 161 | 04/03/2001 | HEMICYANINE DYES AND OPTICAL RECORDING MEDIA  | LEE, KYU-YOUN   |



|                 |               |     |            |  |                     |
|-----------------|---------------|-----|------------|--|---------------------|
|                 |               |     |            | USING THE SAME   |                     |
| <u>09810457</u> | Not<br>Issued | 030 | 03/19/2001 | DISC HAVING GROOVES AND<br>PITS WITH DIFFERENT DEPTHS,<br>AND METHOD FOR<br>MANUFACTURING THE DISC   | LEE, KYUNG-<br>GEUN |
| <u>09803244</u> | 6613621       | 150 | 03/09/2001 | METHODS OF FORMING SELF-<br>ALIGNED CONTACT PADS<br>USING A DAMASCENE GATE<br>PROCESS  | LEE, KYU-HYUN       |
| <u>09791479</u> | Not<br>Issued | 161 | 02/23/2001 | BIOLUMINESCENT ORGANISM<br>FOR DETECTING TOXIC<br>SUBSTANCES   | LEE, KYU-HO         |
| <u>09499031</u> | Not<br>Issued | 061 | 02/07/2000 | RECORDING MEDIUM HAVING<br>WOBBLED GROOVE TRACKS<br>OUT OF PHASE WITH<br>WOBBLED LAND TRACKS,<br>SERVO CONTROLLING<br>APPARATUS USING WOBBLE<br>SIGNAL AND METHOD<br>THEREOF | LEE, KYUNG-<br>GEUN |
| <u>09492402</u> | 6469386       | 150 | 01/27/2000 | LEAD FRAME AND METHOD<br>FOR PLATING THE SAME  | LEE, KYU-HAN        |
| <u>09490469</u> | 6501873       | 150 | 01/24/2000 | APPARATUS FOR GENERATING<br>L-BAND LIGHT SOURCE USING<br>OPTICAL FIBER, AND OPTICAL<br>AMPLIFIER   | LEE, KYU<br>HAENG   |
| <u>09166590</u> | 6208405       | 150 | 10/06/1998 | METHOD AND APPARATUS FOR<br>MANUFACTURING A LIQUID<br>CRYSTAL DISPLAYS   | LEE, KYUNG-<br>EUN  |

[Search and Display More Records.](#)

|                                 |                                  |                                  |                                       |
|---------------------------------|----------------------------------|----------------------------------|---------------------------------------|
|                                 | <b>Last Name</b>                 | <b>First Name</b>                |                                       |
| <b>Search Another: Inventor</b> | <input type="text" value="LEE"/> | <input type="text" value="KYU"/> | <input type="button" value="Search"/> |

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Monday  
Date: 7/26/2004

Time: 11:46:07


**PALM INTRANET**

## Inventor Name Search Result

Your Search was:

Last Name = LEE

First Name = KYU

| Application#    | Patent#    | Status | Date Filed | Title  | Inventor Name 51 |
|-----------------|------------|--------|------------|--|------------------|
| <u>29200381</u> | Not Issued | 018    | 02/26/2004 | PORTABLE KARAOKE SYSTEM  | LEE, KYUNG HO    |
| <u>10790244</u> | Not Issued | 019    | 03/02/2004 | LIQUID CRYSTAL DISPLAY PANEL   | LEE, KYUNG-EUN   |
| <u>10789987</u> | Not Issued | 020    | 03/02/2004 | ACTIVE MATRIX-TYPE DISPLAY DEVICE AND METHOD OF DRIVING THE SAME   | LEE, KYUNG-EON   |
| <u>10786001</u> | Not Issued | 020    | 02/26/2004 | METHOD AND APPARATUS FOR MANAGING DISC DEFECT USING TEMPORARY DFL AND TEMPORARY DDS INCLUDING DRIVE & DISC INFORMATION DISC WITH TEMPORARY DFL AND TEMPORARY DDS | LEE, KYUNG-GEUN  |
| <u>10779875</u> | Not Issued | 030    | 02/18/2004 | ORGANIC ELECTROLUMINESCENT DEVICE  | LEE, KYUNG HOON  |
| <u>10779874</u> | Not Issued | 030    | 02/18/2004 | ORGANIC ELECTROLUMINESCENT DEVICE AND METHOD FOR FABRICATING THE SAME  | LEE, KYUNG HOON  |
| <u>10778807</u> | Not Issued | 030    | 02/13/2004 | APPARATUS AND METHOD FOR CODING GENETIC INFORMATION  | LEE, KYU-SANG    |
| <u>10776345</u> | Not Issued | 019    | 02/12/2004 | INFORMATION STORAGE MEDIUM   | LEE, KYUNG-GEUN  |
| <u>10776343</u> | Not Issued | 019    | 02/12/2004 | METHOD OF RECORDING AND/OR REPRODUCING DATA WITH RESPECT TO INFORMATION STORAGE MEDIUM   | LEE, KYUNG-GEUN  |
| <u>10775158</u> | Not Issued | 020    | 02/11/2004 | DISPLAY APPARATUS  | LEE, KYUNG-KYUN  |
|                 |            |        |            |  |                  |

|                 |               |     |            |  |                     |
|-----------------|---------------|-----|------------|--|---------------------|
| <u>10774404</u> | Not<br>Issued | 020 | 02/10/2004 | ADAPTIVE WRITING METHOD<br>FOR HIGH-DENSITY OPTICAL<br>RECORDING APPARATUS AND<br>CIRCUIT THEREOF                          | LEE, KYUNG-<br>GEUN |
| <u>10774242</u> | Not<br>Issued | 020 | 02/06/2004 | ANTIPLASMIN CLEAVING<br>ENZYME   | LEE, KYUNG N.       |
| <u>10772286</u> | Not<br>Issued | 020 | 02/06/2004 | LIGHTFAST COLORANT AND<br>LIGHTFAST INK COMPOSITION<br>INCLUDING THE SAME  | LEE, KYUNG-<br>HOON |
| <u>10771797</u> | Not<br>Issued | 030 | 02/04/2004 | METHOD OF DRIVING<br>TRANSISTOR AND SHIFT<br>REGISTER PERFORMING THE<br>SAME   | LEE, KYUNG-<br>EUN  |
| <u>10771490</u> | Not<br>Issued | 020 | 02/04/2004 | INTEGRATED MOBILE<br>TERMINAL DEVICE AND<br>METHOD FOR CONTROLLING<br>EXTERNAL DISPLAY UNIT                                | LEE, KYU-CHUL       |
| <u>10771317</u> | Not<br>Issued | 020 | 02/05/2004 | OPTICAL DISC HAVING<br>UNIFORM STRUCTURE   | LEE, KYUNG-<br>GEUN |
| <u>10769987</u> | Not<br>Issued | 020 | 02/03/2004 | RECORDING/REPRODUCING<br>APPARATUS   | LEE, KYUNG-<br>GEUN |
| <u>10769986</u> | Not<br>Issued | 020 | 02/03/2004 | METHOD OF RECORDING<br>INFORMATION TO AND<br>REPRODUCING INFORMATION<br>FROM AN OPTICAL<br>INFORMATION STORAGE<br>MEDIUM   | LEE, KYUNG-<br>GEUN |
| <u>10769756</u> | Not<br>Issued | 020 | 02/03/2004 | OPTICAL INFORMATION<br>STORAGE MEDIUM  | LEE, KYUNG-<br>GEUN |
| <u>10761396</u> | Not<br>Issued | 030 | 01/22/2004 | METHODS AND DEVICES FOR<br>PREVENTING DATA STORED IN<br>MEMORY FROM BEING READ<br>OUT                                      | LEE, KYU-CHAN       |
| <u>10758164</u> | Not<br>Issued | 093 | 01/15/2004 | FERROELECTRIC MEMORY<br>DEVICES  | LEE, KYU-<br>MANN   |
| <u>10751886</u> | Not<br>Issued | 020 | 01/07/2004 | MAGNETORESISTIVE RANDOM<br>ACCESS MEMORY WITH HIGH<br>SELECTIVITY  | LEE, KYUNG-JIN      |
| <u>10751731</u> | Not<br>Issued | 020 | 01/06/2004 | OPTICAL RECORDING MEDIUM,<br>METHOD AND APPARATUS FOR<br>RECORDING DATA THEREON  | LEE, KYUNG-<br>GEUN |
| <u>10747440</u> | Not<br>Issued | 030 | 12/30/2003 | TRANSPORT STREAM,<br>APPARATUS AND METHOD FOR<br>PROVIDING VALUE ADDED<br>SERVICE WHILE CHANNELS<br>ARE BEING CHANGED IN A | LEE, KYUNG-HA       |

|                 |            |     |            |   |                 |
|-----------------|------------|-----|------------|---|-----------------|
|                 |            |     |            | DIGITAL MULTIMEDIA BROADCASTING SYSTEM  |                 |
| <u>10746535</u> | Not Issued | 020 | 12/23/2003 | APPARATUS AND METHOD FOR ALLOCATING SEARCH RESOURCE OF BASE STATION MODEM   | LEE, KYUNG HO   |
| <u>10743778</u> | Not Issued | 030 | 12/24/2003 | ORGANIC ELECTROLUMINESCENT DEVICE   | LEE, KYUNG HOON |
| <u>10741345</u> | Not Issued | 041 | 12/22/2003 | BUCKLE  | LEE, KYU NAM    |
| <u>10740893</u> | Not Issued | 020 | 12/22/2003 | APPARATUS AND METHOD FOR TRANSMITTING AN AUDIO SIGNAL IN A MOBILE COMMUNICATION TERMINAL SERVING AS A DIGITAL MULTIMEDIA BROADCAST RECEIVER                                     | LEE, KYUNG-HA   |
| <u>10735726</u> | Not Issued | 020 | 12/16/2003 | APPARATUS AND METHOD FOR PROVIDING SECONDARY BROADCAST SERVICE IN DIGITAL BROADCASTING SYSTEM   | LEE, KYUNG-HA   |
| <u>10734139</u> | Not Issued | 020 | 12/15/2003 | APPARATUS AND METHOD FOR SERVICING BOTH WIDE AREA BROADCASTING AND LOCAL AREA BROADCASTING IN A DIGITAL MULTIMEDIA BROADCASTING SYSTEM AND TERMINAL FOR RECEIVING THE BROADCAST | LEE, KYUNG-HA   |
| <u>10731777</u> | Not Issued | 030 | 12/09/2003 | BENDABLE WING FOR MICRO AIR VEHICLE   | LEE, KYU-HO     |
| <u>10724161</u> | Not Issued | 020 | 12/01/2003 | DIGITAL MULTIMEDIA BROADCASTING RECEIVER AND METHOD FOR REPRODUCING DIGITAL MULTIMEDIA DATA   | LEE, KYUNG-HA   |
| <u>10724161</u> | Not Issued | 020 | 12/01/2003 | DIGITAL MULTIMEDIA BROADCASTING RECEIVER AND METHOD FOR REPRODUCING DIGITAL MULTIMEDIA DATA   | LEE, KYUNG-EUN  |
| <u>10719624</u> | Not Issued | 030 | 11/20/2003 | SEMICONDUCTOR DEVICE AND METHOD OF MANUFACTURING THE SAME   | LEE, KYU-HYUN   |
|                 |            |     |            |   |                 |



|                 |               |     |            |  |                     |
|-----------------|---------------|-----|------------|--|---------------------|
| <u>10717599</u> | Not<br>Issued | 020 | 11/21/2003 | DISC PLAYER<br>AUTOMATICALLY EJECTING<br>DISC AND METHOD THEREOF   | LEE, KYU-SANG       |
| <u>10712304</u> | Not<br>Issued | 030 | 11/14/2003 | OPTICAL INFORMATION<br>REPRODUCING APPARATUS<br>AND METHOD   | LEE, KYUNG-<br>GEUN |
| <u>10704364</u> | Not<br>Issued | 030 | 11/07/2003 | 3-SUBSTITUTED-6-ARYL<br>PYRIDINES  | LEE, KYUNGAE        |
| <u>10702208</u> | Not<br>Issued | 020 | 11/04/2003 | METHOD AND SYSTEM FOR<br>COMMUNICATING A SHORT<br>MESSAGE  | LEE, KYUNG<br>SOOK  |
| <u>10695393</u> | Not<br>Issued | 030 | 10/29/2003 | OPTICAL DISC HAVING<br>TRACKING POLARITY<br>INFORMATION, AND<br>APPARATUSES AND METHODS<br>FOR RECORDING AND<br>REPRODUCING USER DATA ON<br>THE SAME                                   | LEE, KYUNG-<br>GEUN |
| <u>10663981</u> | Not<br>Issued | 020 | 09/17/2003 | METHOD OF AND APPARATUS<br>FOR MANAGING DISC DEFECTS<br>IN DISC, AND DISC ON WHICH<br>DEFECTS ARE MANAGED  | LEE, KYUNG-<br>GEUN |
| <u>10657712</u> | Not<br>Issued | 030 | 09/09/2003 | METHOD AND APPARATUS FOR<br>ADAPTIVELY ALLOCATING A<br>SPARE AREA IN A RECORDING<br>MEDIUM, AND A RECORDING<br>MEDIUM HAVING A SPARE<br>AREA ALLOCATED USING THE<br>SAME               | LEE, KYUNG<br>GEUN  |
| <u>10652859</u> | Not<br>Issued | 030 | 09/02/2003 | OPTICAL INFORMATION<br>STORAGE MEDIUM AND<br>METHOD OF AND APPARATUS<br>FOR RECORDING AND/OR<br>REPRODUCING INFORMATION<br>ON AND/OR FROM THE<br>OPTICAL INFORMATION<br>STORAGE MEDIUM | LEE, KYUNG-<br>GEUN |
| <u>10647144</u> | Not<br>Issued | 030 | 08/25/2003 | WATER-SOLUBLE,<br>ANTIMICROBIAL ACTIVE<br>POLYMER AND INK<br>COMPOSITION COMPRISING<br>THE SAME  | LEE, KYUNG-<br>HOON |
| <u>10647124</u> | Not<br>Issued | 030 | 08/25/2003 | ANTIBACTERIAL COLORANT<br>AND INK COMPOSITION<br>COMPRISING THE SAME   | LEE, KYUNG-<br>HOON |
| <u>10638555</u> | Not<br>Issued | 020 | 08/12/2003 | DISC WITH TEMPORARY DISC<br>DEFINITION STRUCTURE   | LEE, KYUNG-<br>GEUN |

|                 |            |     |            |  |                 |
|-----------------|------------|-----|------------|--|-----------------|
|                 |            |     |            | (TDDS) AND TEMPORARY DEFECT LIST (TDFL), AND METHOD OF AND APPARATUS FOR MANAGING DEFECT IN THE SAME   |                 |
| <u>10638481</u> | Not Issued | 030 | 08/12/2003 | DISC WITH TEMPORARY DISC DEFINITION STRUCTURE (TDDS) AND TEMPORARY DEFECT LIST (TDFL), AND METHOD OF AND APPARATUS FOR MANAGING DEFECT IN THE SAME | LEE, KYUNG-GEUN |
| <u>10637708</u> | Not Issued | 020 | 08/11/2003 | INFORMATION STORAGE MEDIUM, AND DATA RECORDING, REPRODUCING, DETECTING AND/OR EVALUATING APPARATUS AND METHOD USING THE SAME                       | LEE, KYUNG-GEUN |
| <u>10630922</u> | Not Issued | 019 | 07/31/2003 | OPTICAL INFORMATION STORAGE MEDIUM AND METHOD OF RECORDING INFORMATION THEREON   | LEE, KYUNG-GEUN |
| <u>10474666</u> | Not Issued | 020 | 04/08/2004 | FERULIC ACID DIMERS AND THEIR PHARMACEUTICALLY ACCEPTABLE SALTS, THEIR PREPARATION AND USE THEREOF FOR TREATING DEMENTIA                           | LEE, KYUNG-SIK  |
| <u>10473839</u> | Not Issued | 030 | 02/19/2004 | CD8ALPHA+LYMPHOID DENDRITIC CELL DIFFERENTIATED FROM HUMAN HEMATOPOIETIC STEM CELL AND A METHOD FOR DIFFERENTIATION                                | LEE, KYUNG-BOCK |
| <u>10473479</u> | Not Issued | 041 | 09/26/2003 | NOVEL AMLODIPINE CAMSYLATE AND METHOD FOR PREPARING THEREOF  | LEE, KYUNG-IK   |

[Search and Display More Records.](#)

|                                 |                                  |                                  |                                       |
|---------------------------------|----------------------------------|----------------------------------|---------------------------------------|
|                                 | <b>Last Name</b>                 | <b>First Name</b>                |                                       |
| <b>Search Another: Inventor</b> | <input type="text" value="LEE"/> | <input type="text" value="KYU"/> | <input type="button" value="Search"/> |

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Monday  
Date: 7/26/2004

Time: 11:46:16


**PALM INTRANET**

## Inventor Name Search Result

Your Search was:

Last Name = LEE

First Name = KYU

| Application#    | Patent#       | Status | Date Filed | Title  | Inventor Name<br>51 |
|-----------------|---------------|--------|------------|--|---------------------|
| <u>60560417</u> | Not<br>Issued | 020    | 04/07/2004 | MELANIN CONCENTRATING<br>HORMONE RECEPTOR LIGANDS:<br>SUBSTITUTED 1-BENZYL-4-<br>SUBSTITUTED PIPERAZINE<br>ANLOGUES  | LEE,<br>KYUNGAE     |
| <u>60552719</u> | Not<br>Issued | 020    | 03/15/2004 | INFORMATION STORAGE<br>MEDIUM BEING ABLE TO<br>CONTROL OPTICAL RECORDING<br>POWER, METHOD AND<br>APPARATUS FOR<br>RECORDING/REPRODUCING<br>DATA ON/FROM THE SAME | LEE, KYUNG-<br>GEUN |
| <u>10831190</u> | Not<br>Issued | 020    | 04/26/2004 | FABRICATION METHOD OF<br>NITRIDE-BASED<br>SEMICONDUCTORS AND<br>NITRIDE-BASED<br>SEMICONDUCTOR FABRICATED<br>THEREBY   | LEE, KYU HAN        |
| <u>10824826</u> | Not<br>Issued | 020    | 04/15/2004 | SUBSTITUTED<br>TETRAHYDROISOQUINOLINES<br>AS C5A RECEPTOR<br>MODULATORS  | LEE,<br>KYUNGAE     |
| <u>10824445</u> | Not<br>Issued | 020    | 04/15/2004 | DISPLAY APPARATUS AND<br>METHOD OF ADJUSTING<br>DISPLAY SETTINGS THEREOF   | LEE, KYUNG-<br>SHIK |
| <u>10823151</u> | Not<br>Issued | 020    | 04/12/2004 | SPORTS CAP HAVING<br>DETACHABLE BELT   | LEE, KYU NAM        |
| <u>10819510</u> | Not<br>Issued | 020    | 04/07/2004 | MOBILE COMMUNICATION<br>TERMINAL AND METHOD FOR<br>SEARCHING FOR COUNTRY<br>CODES  | LEE, KYUNG-<br>SUP  |
| <u>10819265</u> | Not<br>Issued | 020    | 04/07/2004 | RECORDING MEDIUM FOR<br>STORING WRITE PROTECTION   | LEE, KYUNG-<br>GEUN |

|                 |            |     |            |  |                 |
|-----------------|------------|-----|------------|--|-----------------|
|                 |            |     |            | INFORMATION AND WRITE PROTECTION METHOD THEREOF  |                 |
| <u>10808752</u> | Not Issued | 030 | 03/25/2004 | APPARATUS AND METHOD FOR PROVIDING USERS WITH ROAD TRAFFIC INFORMATION USING AD-HOC NETWORK  | LEE, KYUNG-HEE  |
| <u>10806320</u> | Not Issued | 020 | 03/23/2004 | METHOD OF AND APPARATUS FOR RECORDING DATA ON OPTICAL RECORDING MEDIUM   | LEE, KYUNG-GEUN |
| <u>10806319</u> | Not Issued | 020 | 03/23/2004 | METHOD OF AND APPARATUS FOR RECORDING DATA ON OPTICAL RECORDING MEDIUM   | LEE, KYUNG-GEUN |
| <u>10806318</u> | Not Issued | 019 | 03/23/2004 | METHOD OF AND APPARATUS FOR RECORDING DATA ON OPTICAL RECORDING MEDIUM   | LEE, KYUNG-GEUN |
| <u>10806215</u> | Not Issued | 020 | 03/23/2004 | METHOD OF AND APPARATUS FOR RECORDING DATA ON OPTICAL RECORDING MEDIUM   | LEE, KYUNG-GEUN |
| <u>10806107</u> | Not Issued | 020 | 03/23/2004 | METHOD OF AND APPARATUS FOR RECORDING DATA ON OPTICAL RECORDING MEDIUM   | LEE, KYUNG-GEUN |
| <u>10806106</u> | Not Issued | 020 | 03/23/2004 | METHOD OF AND APPARATUS FOR RECORDING DATA ON OPTICAL RECORDING MEDIUM   | LEE, KYUNG-GEUN |
| <u>10805360</u> | Not Issued | 020 | 03/22/2004 | PHYSICAL IDENTIFICATION DATA ADDRESSING METHOD USING WOBBLE SIGNAL, WOBBLE ADDRESS ENCODING CIRCUIT, METHOD AND CIRCUIT FOR DETECTING WOBBLE ADDRESS, AND RECORDING MEDIUM THEREFOR  | LEE, KYUNG-GEUN |
| <u>10804016</u> | Not Issued | 020 | 03/19/2004 | METHOD OF MANAGING DEFECTS FOR A WRITE-ONCE RECORDING MEDIUM, REPRODUCING AND/OR RECORDING APPARATUS IMPLEMENTING THE SAME, A CORRESPONDING WRITE-ONCE RECORDING MEDIUM THEREFOR, AND MEDIUM INCLUDING COMPUTER READABLE CODE CONTROLLING THE IMPLEMENTATION OF THE SAME | LEE, KYUNG-GEUN |
| <u>10802949</u> | Not        | 020 | 03/18/2004 | LIGHTFAST COLORANT AND   | LEE, KYUNG-     |



|                 |            |     |            |  |                 |
|-----------------|------------|-----|------------|--|-----------------|
|                 | Issued     |     |            | LIGHTFAST INK COMPOSITION INCLUDING THE SAME   | HOON            |
| <u>10800871</u> | Not Issued | 020 | 03/16/2004 | RECORDING METHOD, RECORDING APPARATUS, OPTICAL RECORDING MEDIUM AND COMPUTER READABLE RECORDING MEDIUM STORING THE RECORDING METHOD  | LEE, KYUNG-GEUN |
| <u>10800181</u> | Not Issued | 020 | 03/12/2004 | APPARATUS AND METHOD FOR PERFORMING MONTGOMERY TYPE MODULAR MULTIPLICATION   | LEE, KYUNG-HEE  |
| <u>10799599</u> | Not Issued | 020 | 03/15/2004 | METHOD AND APPARATUS FOR MANAGING DEFECTS IN RECORDING MEDIA, A COMPUTER READABLE MEDIUM INCLUDING COMPUTER READABLE CODE FOR THE SAME, AND A DEFECT MANAGED RECORDING MEDIUM OBTAINED USING THE SAME METHOD, APPARTUS, AND COMPUTER READABLE MEDIUM | LEE, KYUNG-GEUN |
| <u>10798284</u> | Not Issued | 020 | 03/12/2004 | INFORMATION STORAGE MEDIUM AND METHOD OF RECORDING AND/OR REPRODUCING DATA THEREON   | LEE, KYUNG-GEUN |
| <u>10798271</u> | Not Issued | 020 | 03/12/2004 | INFORMATION STORAGE MEDIUM AND METHOD OF RECORDING AND/OR REPRODUCING DATA THEREON   | LEE, KYUNG-GEUN |
| <u>10797578</u> | Not Issued | 019 | 03/11/2004 | DRIVING METHOD OF PLASMA DISPLAY PANEL   | LEE, KYU SEON   |
| <u>10797555</u> | Not Issued | 030 | 03/10/2004 | SYSTEM AND METHOD FOR COMMUNICATING VEHICLE MANAGEMENT INFORMATION BETWEEN VEHICLES USING AN AD-HOC NETWORK  | LEE, KYUNG-HEE  |
| <u>10797105</u> | Not Issued | 020 | 03/11/2004 | WRITE ONCE DISC, DISC DRIVE THEREFOR, AND METHOD OF MANAGING DISC DEFECT CONSIDERING COMPATIBILITY WITH REWRITABLE DISC DRIVE  | LEE, KYUNG-GEUN |
| <u>10797050</u> | Not Issued | 020 | 03/11/2004 | WRITE ONCE DISC ALLOWING MANAGEMENT OF DATA AREA, METHOD OF MANAGING THE   | LEE, KYUNG-GEUN |

|                 |            |     |            |   |                 |
|-----------------|------------|-----|------------|---|-----------------|
|                 |            |     |            | DATA AREA, AND APPARATUS AND METHOD FOR REPRODUCING DATA FROM WRITE ONCE DISC                                   |                 |
| <u>10792130</u> | Not Issued | 030 | 03/04/2004 | ORGANIC ELECTROLUMINESCENT DEVICE   | LEE, KYUNG HOON |
| <u>10790702</u> | Not Issued | 020 | 03/03/2004 | OPTICAL RECORDING MEDIUM WITH DIFFERENT WOBBLE CHARACTERISTICS BETWEEN THE USER DATA AREA AND THE LEAD-OUT AREA | LEE, KYUNG-GEUN |
| <u>10789987</u> | Not Issued | 020 | 03/02/2004 | ACTIVE MATRIX-TYPE DISPLAY DEVICE AND METHOD OF DRIVING THE SAME  | LEE, KYUNG-EON  |
| <u>10776352</u> | Not Issued | 019 | 02/12/2004 | APPARATUS FOR RECORDING AND/OR REPRODUCING DATA WITH RESPECT TO INFORMATION STORAGE MEDIUM                      | LEE, KYUNG-GEUN |
| <u>10766959</u> | Not Issued | 019 | 01/30/2004 | RECORDING/REPRODUCING APPARATUS   | LEE, KYUNG-GEUN |
| <u>10766958</u> | Not Issued | 019 | 01/30/2004 | METHOD OF RECORDING INFORMATION TO AND REPRODUCING INFORMATION FROM AN OPTICAL INFORMATION STORAGE MEDIUM       | LEE, KYUNG-GEUN |
| <u>10766889</u> | Not Issued | 020 | 01/30/2004 | OPTICAL INFORMATION STORAGE MEDIUM  | LEE, KYUNG-GEUN |
| <u>10765954</u> | Not Issued | 030 | 01/29/2004 | WRITE-ONCE DISC, RECORDING APPARATUS THERETO, AND METHOD OF REDUCING ACCESS TIME THERETO                        | LEE, KYUNG-GEUN |
| <u>10751729</u> | Not Issued | 020 | 01/06/2004 | DISC WITH TEMPORARY DEFECT MANAGEMENT AREA, AND DISC DEFECT MANAGEMENT METHOD AND APPARATUS THEREFOR            | LEE, KYUNG-GOUN |
| <u>10129458</u> | Not Issued | 020 | 05/30/2003 | PROMOTER FOR TRANSFORMATION OF MONOCOT PLANTS   | LEE, KYUNG-HEE  |
| <u>09871561</u> | Not Issued | 061 | 05/31/2001 | METHOD FOR OPERATING A VOICE FUNCTION IN A DUAL-MODE RADIO MOBILE TERMINAL                                      | LEE, KYUNG-HA   |
|                 |            |     |            |   |                 |

|          |            |     |            |  |                 |
|----------|------------|-----|------------|--|-----------------|
| 09858445 | 6452282    | 150 | 05/17/2001 | INSULATING ADHESIVE TAPE FOR A SEMICONDUCTOR CHIP PACKAGE HAVING A COPPER LEAD FRAME   | LEE, KYUNG ROK  |
| 09554535 | 6432205    | 150 | 05/12/2000 | GAS FEEDING SYSTEM FOR CHEMICAL VAPOR DEPOSITION REACTOR AND METHOD OF CONTROLLING THE SAME  | LEE, KYU HONG   |
| 09536674 | Not Issued | 161 | 03/28/2000 | SPORTSWEAR CLOTHING  | LEE, KYU NAM    |
| 09533530 | 6269046    | 150 | 03/23/2000 | SEMICONDUCTOR MEMORY DEVICE HAVING IMPROVED DECODERS FOR DECODING ROW AND COLUMN ADDRESS SIGNALS   | LEE, KYU-CHAN   |
| 09531850 | 6594679    | 150 | 03/20/2000 | LEADING-ZERO ANTICIPATOR HAVING AN INDEPENDENT SIGN BIT DETERMINATION MODULE   | LEE, KYUNG TEK  |
| 09531314 | 6252033    | 150 | 03/20/2000 | METHOD FOR THE PREPARATION OF POLYAMIC ACID AND POLYIMIDE USEFUL FOR ADHESIVES   | LEE, KYUNG ROK  |
| 09526524 | Not Issued | 093 | 03/16/2000 | RECORDING MEDIUM FOR STORING LINKING TYPE INFORMATION, METHOD OF PROCESSING DEFECTIVE AREA USING THE SAME, AND RECORDING AND/OR REPRODUCING APPARATUS THEREFOR | LEE, KYUNG-GEUN |
| 09526523 | Not Issued | 093 | 03/16/2000 | RECORDING MEDIUM FOR STORING LINKING TYPE INFORMATION AND METHOD OF PROCESSING DEFECTIVE AREA USING THE SAME   | LEE, KYUNG-GEUN |
| 09524880 | 6193977    | 150 | 03/14/2000 | PHARMACEUTICAL COMPOSITION COMPRISING AN AQUEOUS EXTRACT OF A MIXTURE OF ANEMARRHENA RHIZOMA AND PHELLODENDRON BARK FOR ANALGESIC AND ANTI-INFLAMMATION        | LEE, KYUNG-YUNG |
| 09521179 | 6335211    | 150 | 03/08/2000 | THIN FILM TRANSISTOR ARRAY PANEL FOR A LIQUID CRYSTAL DISPLAY HAVING A WIDE VIEWING ANGLE AND A  | LEE, KYUNG-NAM  |

## Search and Display More Records.

[Back to PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)



Day : Monday  
Date: 7/26/2004

Time: 11:47:50


**PALM INTRANET**

## Inventor Name Search Result

Your Search was:

Last Name = LEE

First Name = KYU

| Application#    | Patent#       | Status | Date Filed | Title  | Inventor Name<br>51 |
|-----------------|---------------|--------|------------|--|---------------------|
| <u>60569182</u> | Not<br>Issued | 020    | 05/08/2004 | 1-ARYL-4-SUBSTITUTED<br>ISOQUINOLINES  | LEE, KYUNGAE        |
| <u>60569108</u> | Not<br>Issued | 020    | 05/08/2004 | 1-ARYL-4-SUBSTITUTED<br>PHTHALAZINES AND 3-ARYL-<br>5,6-DISUBSTITUTED<br>PYRIDAZINES   | LEE, KYUNGAE        |
| <u>60323099</u> | Not<br>Issued | 159    | 09/19/2001 | HIGH DENSITY DISK  | LEE, KYUNG-<br>GEUN |
| <u>60313431</u> | Not<br>Issued | 159    | 08/20/2001 | SEAT BELT SIGNAL LIGHT   | LEE, KYUNG<br>SANG  |
| <u>60214734</u> | Not<br>Issued | 159    | 06/29/2000 | OPTICAL RECORDING MEDIUM<br>HAVING READ-ONLY STORAGE<br>AREA AND WRITABLE<br>STORAGE AREA AND<br>RECORDING/REPRODUCING<br>APPARATUS THEREFOR | LEE, KYUNG-<br>GEUN |
| <u>29129935</u> | D455532       | 150    | 09/25/2000 | ADJUSTABLE SUCTION HEAD<br>FOR A VACUUM CLEANING<br>DEVICE   | LEE, KYU H.         |
| <u>10851161</u> | Not<br>Issued | 020    | 05/24/2004 | LIGHTFAST ADDITIVE HAVING<br>UV-ABSORBING MOIETY AND<br>INK COMPOSITION INCLUDING<br>THE SAME  | LEE, KYUNG-<br>HOON |
| <u>10851124</u> | Not<br>Issued | 020    | 05/24/2004 | BENZOPHENONE COMPOUND<br>AND INK COMPOSITION<br>INCLUDING THE SAME   | LEE, KYUNG-<br>HOON |
| <u>10848585</u> | Not<br>Issued | 019    | 05/19/2004 | INFORMATION STORAGE<br>MEDIUM AND METHOD OF<br>RECORDING AND/OR<br>REPRODUCING DATA ON<br>AND/OR FROM THE SAME                               | LEE, KYUNG-<br>GEUN |
| <u>10846925</u> | Not           | 019    | 05/17/2004 | INFORMATION STORAGE  | LEE, KYUNG-         |

|                 |                |     |            |  |                 |
|-----------------|----------------|-----|------------|--|-----------------|
|                 | Issued         |     |            | MEDIUM HAVING A PLURALITY OF DATA STORING UNITS AND APPARATUS AND METHOD FOR DATA RECORDING AND/OR REPRODUCING   | GEUN            |
| <u>10846173</u> | Not Issued     | 020 | 05/13/2004 | MOBILE COMMUNICATION TERMINAL WITH ROTARY CAMERA   | LEE, KYU-HUN    |
| <u>10845916</u> | Not Issued     | 019 | 05/14/2004 | CHIP SCALE PACKAGE AND METHOD OF FABRICATING THE SAME  | LEE, KYU-HAN    |
| <u>10845513</u> | Not Issued     | 019 | 05/14/2004 | INFORMATION STORAGE MEDIUM   | LEE, KYUNG-GEUN |
| <u>10831190</u> | Not Issued     | 020 | 04/26/2004 | FABRICATION METHOD OF NITRIDE-BASED SEMICONDUCTORS AND NITRIDE-BASED SEMICONDUCTOR FABRICATED THEREBY  | LEE, KYU HAN    |
| <u>10468525</u> | Not Issued     | 020 | 08/14/2003 | FREEZE-GRINDING METHOD OF THE WASTE MATERIALS USING THE COOLED AIR   | LEE, KYU-DONG   |
| <u>09967934</u> | <u>6580896</u> | 150 | 10/02/2001 | FUSING ROLLER ASSEMBLY FOR ELECTROPHOTOGRAPHIC IMAGE FORMING APPARATUS   | LEE, KYUNG-WOO  |
| <u>09966507</u> | Not Issued     | 030 | 09/28/2001 | APPARATUS AND METHOD FOR GENERATING TRANSMISSION AND RECEPTION LOCAL OSCILLATION SIGNALS IN A MOBILE TERMINAL  | LEE, KYUNG-MIN  |
| <u>09955541</u> | Not Issued     | 041 | 09/18/2001 | METHOD AND APPARATUS FOR AUTOMATIC CALL TESTS IN WIRELESS NETWORKS   | LEE, KYUNG JU   |
| <u>09955218</u> | <u>6700635</u> | 150 | 09/19/2001 | LIQUID CRYSTAL DISPLAY PANEL   | LEE, KYUNG-EUN  |
| <u>09947690</u> | <u>6459131</u> | 150 | 09/06/2001 | CMOS IMAGE SENSOR AND METHOD FOR FABRICATING THE SAME  | LEE, KYUNG-LAK  |
| <u>09947657</u> | <u>6571080</u> | 150 | 09/07/2001 | FUSING ROLLER ASSEMBLY HAVING WORKING FLUID AND HEATER COIL FOR QUICK HEATING AND LOW POWER CONSUMPTION FOR AN ELECTROPHOTOGRAPHIC IMAGE FORMING APPARATUS | LEE, KYUNG-WOO  |

|                 |                |     |            |  |                 |
|-----------------|----------------|-----|------------|--|-----------------|
|                 |                |     |            | AND METHOD OF MAKING THE SAME  |                 |
| <u>09947631</u> | Not Issued     | 161 | 09/06/2001 | MOTOR-DRIVEN, PORTABLE, ADJUSTABLE SPRAY SYSTEM FOR CLEANING HARD SURFACES                                       | LEE, KYU H.     |
| <u>09931861</u> | <u>6451651</u> | 150 | 08/20/2001 | DRAM DEVICE AND METHOD OF MANUFACTURING THE SAME BACKGROUND OF THE INVENTION                                     | LEE, KYU-HYUN   |
| <u>09924174</u> | <u>6653471</u> | 150 | 08/06/2001 | HETEROCYCLIC COMPOUNDS AS LIGANDS OF THE GABAA RECEPTOR  | LEE, KYUNGAE    |
| <u>09916341</u> | Not Issued     | 030 | 07/30/2001 | SPEAKER CONFIGURATION AND SIGNAL PROCESSOR FOR STEREO SOUND REPRODUCTION FOR VEHICLE AND VEHICLE HAVING THE SAME | LEE, KYUNG LAK  |
| <u>09912357</u> | Not Issued     | 164 | 07/26/2001 | OPTICAL FIBER CURVATURE SENSOR FOR MEASURING BODY MOTION AND ITS ADHESIVE METHOD                                 | LEE, KYU BIN    |
| <u>09900462</u> | Not Issued     | 041 | 07/09/2001 | HIGH-SPEED OPTICAL RECORDING METHOD AND APPARATUS  | LEE, KYUNG-GEUN |
| <u>09900269</u> | <u>6603169</u> | 150 | 07/06/2001 | FERROELECTRIC CAPACITORS FOR INTEGRATED CIRCUIT MEMORY DEVICES AND METHODS OF MANUFACTURING SAME                 | LEE, KYU-MANN   |
| <u>09896541</u> | Not Issued     | 030 | 06/29/2001 | PILOT CHANNEL POWER MEASUREMENT MEANS FOR A MOBILE STATION IN ASYNCHRONOUS CDMA COMMUNICATION SYSTEM             | LEE, KYUNG-HA   |
| <u>09894837</u> | Not Issued     | 030 | 06/29/2001 | OPTICAL RECORDING MEDIUM WITH WOBBLE HEADER AREA, AND DATA RECORDING METHOD AND APPARATUS THEREFOR               | LEE, KYUNG-GEUN |
| <u>09652187</u> | <u>6391693</u> | 150 | 08/31/2000 | METHOD FOR MAKING POLYSILICON THIN FILM TRANSISTOR HAVING MULTIPLE GATE ELECTRODES                               | LEE, KYUNG HA   |
| <u>09647367</u> | Not            | 161 | 09/29/2000 | GLASS MICROFIBER COLUMN  | LEE, KYUNGIL    |

|                 |                |     |            |   |                 |
|-----------------|----------------|-----|------------|---|-----------------|
|                 | Issued         |     |            | AND METHOD FOR THE PREPARATION AND PURIFICATION OF PLASMID DNA USING THE SAME   |                 |
| <u>09635564</u> | <u>6693680</u> | 150 | 08/10/2000 | PRINTED CIRCUIT BOARD (PCB) BRACKET FOR A MONITOR   | LEE, KYUNG-KYUN |
| <u>09629050</u> | <u>6556521</u> | 150 | 07/31/2000 | METHOD FOR DETECTING SERVO ERROR, APPARATUS THEREFOR, DISK WHICH MAINTAINS QUALITY OF SERVO ERROR SIGNAL, METHOD OF CONTROLLING SERVO OF DISK RECORDING/REPRODUCING APPARATUS, METHOD OF DETECTING TRACKING ERROR, AND METHOD OF DETECTING TILT ERROR | LEE, KYUNG-GEUN |
| <u>09629049</u> | <u>6556520</u> | 150 | 07/31/2000 | METHOD FOR DETECTING SERVO ERROR, APPARATUS THEREFOR, DISK WHICH MAINTAINS QUALITY OF SERVO ERROR SIGNAL, METHOD OF CONTROLLING SERVO OF DISK RECORDING/REPRODUCING APPARATUS, METHOD OF DETECTING TRACKING ERROR, AND METHOD OF DETECTING TILT ERROR | LEE, KYUNG-GEUN |
| <u>09625496</u> | Not Issued     | 161 | 07/25/2000 | APPARATUS FOR COOLING ELECTRON PARTS  | LEE, KYUNG HO   |
| <u>09609822</u> | Not Issued     | 071 | 07/03/2000 | ADAPTIVE WRITING METHOD FOR HIGH-DENSITY OPTICAL RECORDING APPARATUS AND CIRCUIT THEREOF  | LEE, KYUNG-GEUN |
| <u>09609818</u> | <u>6442128</u> | 150 | 07/03/2000 | RECORDING MEDIUM FOR STORING ATTRIBUTE INFORMATION ON BASIC RECORDING UNIT AND METHOD OF IDENTIFYING DATA USING THE ATTRIBUTE INFORMATION   | LEE, KYUNG-GEUN |
| <u>09606713</u> | <u>6480252</u> | 150 | 06/29/2000 | LIQUID CRYSTAL DISPLAY HAVING UNEVEN CONVEX AND CONCAVE PORTIONS IN BOTH PIXEL AND COMMON ELECTRODES  | LEE, KYUNG HA   |



|                 |                |     |            |  |                     |
|-----------------|----------------|-----|------------|--|---------------------|
| <u>09603204</u> | Not<br>Issued  | 041 | 06/26/2000 | APPARATUS AND METHOD OF<br>COMPENSATING FOR TILT<br>AND/OR DEFOCUS OF A DISC<br>DURING RECORDING   | LEE, KYUNG-<br>GEUN |
| <u>09600529</u> | <u>6344532</u> | 150 | 07/18/2000 | METHOD OF PREPARING VINYL<br>CHLORIDE RESIN HAVING<br>HIGH IMPACT STRENGTH AND<br>LOW DIE SWELL  | LEE, KYUNG-<br>WOO  |
| <u>09592544</u> | <u>6625012</u> | 150 | 06/12/2000 | DEGAUSSING COIL FIXING<br>HOLDER FOR A MONITOR   | LEE, KYUNG-<br>KYUN |
| <u>09582536</u> | <u>6485743</u> | 150 | 06/29/2000 | METHOD AND COMPOSITION<br>OF AN ORAL PREPARATION OF<br>ITRACONAZOLE  | LEE, KYU-<br>HYUN   |
| <u>09581789</u> | <u>6383528</u> | 150 | 06/19/2000 | PHARMACEUTICAL<br>COMPOSITION COMPRISING<br>TICLOPIDINE AND GINKGO<br>BILOBA EXTRACT   | LEE, KYUNG<br>HEE   |
| <u>09580977</u> | <u>6413557</u> | 150 | 05/30/2000 | SOY-CONTAINING NUTRITION<br>SUPPLEMENT AND PROCESS   | LEE, KYUNG JA       |
| <u>09575524</u> | Not<br>Issued  | 161 | 05/23/2000 | SPORTS CAP   | LEE, KYU NAM        |
| <u>09571821</u> | <u>6346181</u> | 150 | 05/16/2000 | ELECTROPLATING PROCESS<br>FOR PREPARING A NI LAYER<br>OF BIAXIAL TEXTURE   | LEE, KYU<br>HWAN    |
| <u>09560841</u> | Not<br>Issued  | 161 | 04/28/2000 | METHOD FOR REPAIRING<br>DEFECT OF PHOTOMASK  | LEE, KYUNG-<br>HEE  |
| <u>09556620</u> | Not<br>Issued  | 061 | 04/21/2000 | OPTICAL RECORDING MEDIUM<br>ON WHICH DATA MAY BE<br>STORED SEAMLESSLY AND<br>METHOD FOR PROCESSING<br>DEFECTIVE AREA WITHIN THE<br>MEDIUM            | LEE, KYUNG-<br>GEUN |
| <u>09547583</u> | <u>6323702</u> | 150 | 04/12/2000 | INTEGRATED CIRCUIT DEVICES<br>HAVING DRIVER CIRCUITS<br>THEREIN THAT DRIVE LONG<br>SIGNAL LINES<br>CHARACTERIZED BY LARGE<br>RC DELAY TIME CONSTANTS | LEE, KYU-<br>CHAN   |
| <u>09529132</u> | <u>6248795</u> | 150 | 06/16/2000 | PROCESS OF PREPARING A<br>MIXTURE OF DIMETHYL ETHER<br>AND METHANOL FROM<br>CARBON DIOXIDE   | LEE, KYU WAN        |

Search and Display More Records.

**Search Another: Inventor**      **Last Name**      **First Name**

|     |     |        |
|-----|-----|--------|
| LEE | KYU | Search |
|-----|-----|--------|

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Monday  
Date: 7/26/2004

Time: 11:48:14


**PALM INTRANET**

## Inventor Name Search Result

Your Search was:

Last Name = LEE

First Name = KYU

| Application#    | Patent#       | Status | Date Filed | Title  | Inventor Name<br>51 |
|-----------------|---------------|--------|------------|--|---------------------|
| <u>60327305</u> | Not<br>Issued | 159    | 10/09/2001 | METHOD FOR RECORDING<br>DATA ON OPTICAL DISC   | LEE, KYUNG-<br>GEUN |
| <u>60241121</u> | Not<br>Issued | 159    | 10/17/2000 | COMPUTER MEMORY DRIVE  | LEE, KYU            |
| <u>29151932</u> | D472695       | 150    | 12/14/2001 | SKI HAT  | LEE, KYU NAM        |
| <u>29151683</u> | Not<br>Issued | 160    | 11/06/2001 | MEMORY HOUSING   | LEE, KYU B.         |
| <u>29150322</u> | D483174       | 150    | 11/21/2001 | VISOR FOR A CAP  | LEE, KYU NAM        |
| <u>29149896</u> | D477128       | 150    | 10/22/2001 | BUCKET HAT   | LEE, KYU NAM        |
| <u>29149683</u> | Not<br>Issued | 094    | 10/16/2001 | SUN VISOR  | LEE, KYU NAM        |
| <u>29133530</u> | D453810       | 150    | 11/30/2000 | GOLF TEE   | LEE, KYU-<br>KWAN   |
| <u>10055938</u> | 6594455       | 150    | 01/28/2002 | ELECTRICAL CONNECTION<br>BETWEEN AN EXTERNAL<br>POWER SUPPLY AND A HEATER<br>FOR A FUSING ROLLER<br>HERMETICALLY SEALED<br>WITHIN THE FUSING ROLLER<br>USED IN AN<br>ELECTROPHOTOGRAPHIC<br>IMAGE FORMATION<br>APPARATUS | LEE, KYUNG-<br>WOO  |
| <u>10053278</u> | 6736306       | 150    | 01/16/2002 | SEMICONDUCTOR CHIP<br>PACKAGE COMPRISING<br>ENHANCED PADS  | LEE, KYU-JIN        |
| <u>10045147</u> | 6769167       | 150    | 01/15/2002 | A METHOD OF<br>MANUFACTURING A ROTOR<br>FOR A SYNCHRONOUS  | LEE, KYUNG<br>HOON  |

|                 |                |     |            |   |                     |
|-----------------|----------------|-----|------------|---|---------------------|
|                 |                |     |            | RELUCTANCE MOTOR  |                     |
| <u>10038069</u> | Not<br>Issued  | 092 | 12/21/2001 | BENZIMIDAZOLE AND<br>PYRIDYLIMIDAZOLE<br>DERIVATIVES  | LEE, KYUNGAE        |
| <u>10026658</u> | Not<br>Issued  | 030 | 12/27/2001 | HIGH-DENSITY OPTICAL<br>RECORDING MEDIUM AND<br>METHOD OF RECORDING DATA<br>ON THE SAME   | LEE, KYUNG-<br>GEUN |
| <u>10026530</u> | Not<br>Issued  | 161 | 12/27/2001 | METHOD FOR GROWING<br>SEMICONDUCTOR EPITAXIAL<br>LAYER WITH DIFFERENT<br>GROWTH RATES IN SELECTIVE<br>AREAS   | LEE, KYU-SEOK       |
| <u>10021404</u> | Not<br>Issued  | 030 | 10/30/2001 | REMOTE EXECUTION OF<br>SOFTWARE USING WINDOWS<br>MANAGEMENT<br>INSTRUMENTATION  | LEE, KYU-<br>WOONG  |
| <u>10020945</u> | Not<br>Issued  | 041 | 12/19/2001 | RECORDING MEDIUM FOR<br>STORING WRITE PROTECTION<br>INFORMATION AND WRITE<br>PROTECTION METHOD<br>THEREOF   | LEE, KYUNG-<br>GEUN |
| <u>10020074</u> | <u>6683835</u> | 150 | 12/19/2001 | RECORDING MEDIUM FOR<br>STORING WRITE PROTECTION<br>INFORMATION AND WRITE<br>PROTECTION METHOD<br>THEREOF   | LEE, KYUNG-<br>GEUN |
| <u>10007655</u> | <u>6772429</u> | 150 | 12/10/2001 | OPTICAL RECORDING MEDIUM<br>WITH DIFFERENT WOBBLE<br>CHARACTERISTICS BETWEEN<br>THE USER DATA AREA AND<br>THE LEAD-OUT AREA   | LEE, KYUNG-<br>GEUN |
| <u>10006614</u> | Not<br>Issued  | 061 | 11/02/2001 | COMPUTER KEYBOARD WITH<br>MOUSE PAD   | LEE, KYUNG-<br>CHUL |
| <u>10003109</u> | Not<br>Issued  | 030 | 12/06/2001 | OPTICAL RECORDING MEDIUM<br>ON WHICH MULTI-<br>MODULATED HEADER<br>SIGNALS ARE RECORDED,<br>APPARATUS AND METHOD OF<br>RECORDING HEADER SIGNALS<br>AND APPARATUS AND<br>METHOD OF REPRODUCING<br>HEADER SIGNALS | LEE, KYUNG-<br>GEUN |
| <u>09994785</u> | Not<br>Issued  | 041 | 11/28/2001 | OPTICAL RECORDING MEDIUM<br>ON WHICH A WOBBLE SIGNAL<br>HAVING HEADER<br>INFORMATION IS RECORDED,   | LEE, KYUNG-<br>GEUN |



|                 |                |     |            |   |                 |
|-----------------|----------------|-----|------------|---|-----------------|
|                 |                |     |            | AN APPARATUS AND METHOD OF RECORDING WOBBLE SIGNAL, AND AN APPARATUS AND METHOD OF REPRODUCING THE WOBBLE SIGNAL                    |                 |
| <u>09989058</u> | <u>6560178</u> | 150 | 11/21/2001 | TILT COMPENSATION METHOD AND APPARATUS THEREFOR   | LEE, KYUNG-GEUN |
| <u>09986415</u> | Not Issued     | 030 | 11/08/2001 | METHOD AND APPARATUS FOR RADIO PACKET DATA TRANSMISSION   | LEE, KYUNG KUK  |
| <u>09985162</u> | Not Issued     | 030 | 11/01/2001 | DATA MODULATION METHOD, AND RECORDING AND REPRODUCING APPARATUSES AND METHODS ADOPTING THE DATA MODULATION METHOD                   | LEE, KYUNG-GEUN |
| <u>09984887</u> | Not Issued     | 041 | 10/31/2001 | OPTICAL RECORDING MEDIUM WITH WOBBLED HEADER AREA, AND DATA RECORDING METHOD AND APPARATUS THEREFOR                                 | LEE, KYUNG-GEUN |
| <u>09978632</u> | <u>6587656</u> | 150 | 10/18/2001 | HEATING ROLLER ASSEMBLY FOR ELECTROPHOTOGRAPHIC PRINTER AND METHOD OF MAKING THE SAME.  | LEE, KYUNG-WOO  |
| <u>09977770</u> | <u>6501302</u> | 150 | 10/15/2001 | SINGLE-INPUT/DUAL-OUTPUT SENSE AMPLIFIER  | LEE, KYUNG T.   |
| <u>09976034</u> | Not Issued     | 041 | 10/15/2001 | METHOD FOR OVERWRITING DATA IN LINKING LOSS AREA  | LEE, KYUNG-GEUN |
| <u>09973940</u> | <u>6600431</u> | 150 | 10/11/2001 | DATA MODULATION AND CORRECTION METHODS FOR USE WITH DATA WRITTEN TO AND READ FROM RECORDING MEDIA                                   | LEE, KYUNG-GEUN |
| <u>09971934</u> | Not Issued     | 092 | 10/09/2001 | SYSTEM AND METHOD FOR AUTOMATICALLY ANALYZING AND MANAGING LOSS FACTORS IN TEST PROCESS OF SEMICONDUCTOR INTEGRATED CIRCUIT DEVICES | LEE, KYU SUNG   |
| <u>09967934</u> | <u>6580896</u> | 150 | 10/02/2001 | FUSING ROLLER ASSEMBLY FOR ELECTROPHOTOGRAPHIC IMAGE FORMING APPARATUS  | LEE, KYUNG-WOO  |
| <u>09967581</u> | <u>6423846</u> | 150 | 09/28/2001 | HIGH-YIELD METHOD FOR PREPARING LANSOPRAZOLE  | LEE, KYUNG-IK   |
|                 |                |     |            |   |                 |

|                 |                |     |            |   |                     |
|-----------------|----------------|-----|------------|---|---------------------|
| <u>09959695</u> | Not<br>Issued  | 041 | 11/05/2001 | VASCULAR EMBOLIC<br>MATERIALS HAVING<br>MULTIFUNCTIONS  | LEE, KYU-HO         |
| <u>09752325</u> | Not<br>Issued  | 161 | 12/27/2000 | METHOD FOR PERFORMING<br>MULTIPOINT VIDEO<br>CONFERENCE IN VIDEO<br>CONFERENCING SYSTEM   | LEE, KYUNG-<br>HEE  |
| <u>09734016</u> | <u>6518624</u> | 150 | 12/12/2000 | TRENCH-GATE POWER<br>SEMICONDUCTOR DEVICE<br>PREVENTING LATCH-UP AND<br>METHOD FOR FABRICATING<br>THE SAME  | LEE, KYU-<br>HYUN   |
| <u>09719103</u> | <u>6645574</u> | 150 | 12/06/2000 | METHOD OF FORMING A THIN<br>FILM  | LEE, KYU-<br>HONG   |
| <u>09707353</u> | <u>6607983</u> | 150 | 11/06/2000 | METHOD OF PROCESSING A<br>DEFECT SOURCE AT A WAFER<br>EDGE REGION IN A<br>SEMICONDUCTOR<br>MANUFACTURING  | LEE, KYU-<br>HYUN   |
| <u>09705756</u> | <u>6278048</u> | 150 | 11/06/2000 | PORTABLE KARAOKE DEVICE   | LEE, KYUNG<br>HO    |
| <u>09697163</u> | <u>6416978</u> | 150 | 10/27/2000 | EXOPOLYSACCARIDE<br>PRODUCTION FROM<br>SUBMERGED MYCELIAL<br>CULTURE OF MUSHROOM  | LEE, KYU-MIN        |
| <u>09684339</u> | <u>6456017</u> | 150 | 10/10/2000 | ELECTRON GUN FOR CATHODE<br>RAY TUBE  | LEE, KYU-<br>HONG   |
| <u>09672432</u> | Not<br>Issued  | 161 | 09/28/2000 | FLUID MIXING APPARATUS  | LEE, KYUNG<br>SHIN  |
| <u>09656709</u> | Not<br>Issued  | 061 | 09/07/2000 | OPTICAL RECORDING MEDIUM<br>HAVING READ-ONLY STORAGE<br>AREA AND WRITEABLE<br>STORAGE AREA AND<br>RECORDING/REPRODUCING<br>APPARATUS AND METHOD<br>THEREFOR | LEE, KYUNG-<br>GEUN |
| <u>09582490</u> | <u>6635474</u> | 150 | 11/14/2000 | MAMMARY GLAND TISSUE-<br>SPECIFIC EXPRESSION SYSTEM<br>USING BETA-CASEIN<br>PROMOTER SITE OF KOREAN<br>NATIVE GOAT  | LEE, KYUNG<br>KWANG |
| <u>09562918</u> | <u>6654326</u> | 150 | 05/02/2000 | AUTOMATIC TILT<br>COMPENSATOR AND OPTICAL<br>RECORDING/REPRODUCING<br>APPARATUS HAVING THE<br>SAME  | LEE, KYU-<br>HYEONG |

|                 |                |     |            |   |                 |
|-----------------|----------------|-----|------------|---|-----------------|
| <u>09526946</u> | <u>6704573</u> | 150 | 03/16/2000 | CHANNEL RESOURCE MANAGEMENT METHOD IN BASE STATION USING DYNAMIC FUNCTION IN MOBILE COMMUNICATION SYSTEM      | LEE, KYUNG-ROK  |
| <u>09526548</u> | Not Issued     | 094 | 03/16/2000 | RECORDING MEDIUM FOR STORING LINKING TYPE INFORMATION AND METHOD OF PROCESSING DEFECTIVE AREA USING THE SAME. | LEE, KYUNG-GEUN |
| <u>09512381</u> | <u>6307008</u> | 150 | 02/25/2000 | POLYIMIDE FOR HIGH TEMPERATURE ADHESIVE   | LEE, KYUNG ROK  |
| <u>09509334</u> | <u>6315641</u> | 150 | 03/24/2000 | METHOD AND APPARATUS FOR CHEMICAL MECHANICAL POLISHING  | LEE, KYU HONG   |
| <u>09490468</u> | Not Issued     | 161 | 01/24/2000 | GAIN CONTROLLING OPTICAL AMPLIFIER  | LEE, KYU HAENG  |
| <u>09331991</u> | <u>6451348</u> | 150 | 01/03/2000 | METHOD OF MANUFACTURING POROUS MATRIX-TYPE CONTROLLED RELEASE SYSTEMS USING EMULSION TECHNIQUE                | LEE, KYU BACK   |
| <u>09081025</u> | <u>6195323</u> | 150 | 05/19/1998 | DATA CODING METHOD OF AN OPTICAL DISK   | LEE, KYUNG-GEUN |

[Search and Display More Records.](#)

|                                 |                                  |                                  |                                       |
|---------------------------------|----------------------------------|----------------------------------|---------------------------------------|
|                                 | <b>Last Name</b>                 | <b>First Name</b>                |                                       |
| <b>Search Another: Inventor</b> | <input type="text" value="LEE"/> | <input type="text" value="KYU"/> | <input type="button" value="Search"/> |

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Monday  
Date: 7/26/2004

Time: 11:48:28


**PALM INTRANET**

## Inventor Name Search Result

Your Search was:

Last Name = LEE

First Name = KYU

| Application#    | Patent#       | Status | Date Filed | Title   | Inventor Name<br>51 |
|-----------------|---------------|--------|------------|---|---------------------|
| <u>60373378</u> | Not<br>Issued | 159    | 04/18/2002 | METHOD AND APPARATUS<br>FOR RECORDING DATA ON AN<br>OPTICAL RECORDING MEDIUM  | LEE, KYUNG-<br>GEUN |
| <u>60257492</u> | Not<br>Issued | 159    | 12/21/2000 | BENZIMIDAZOLE<br>DERIVATIVES AS LIGANDS<br>FOR GABAA RECEPTORS  | LEE, KYUNGAE        |
| <u>60257118</u> | Not<br>Issued | 159    | 12/22/2000 | FUSING ROLLER APPARATUS<br>OF ELECTROPHOTOGRAPHIC<br>IMAGE FORMING APPARATUS<br>AND MANUFACTURING<br>METHOD THEREOF | LEE, KYUNG-<br>WOO  |
| <u>60206588</u> | Not<br>Issued | 159    | 05/23/2000 | YEAST STRAINS TO IDENTIFY<br>SPECIFIC INHIBITORS OF POLO<br>KINASES   | LEE, KYUNG S        |
| <u>29155164</u> | D474875       | 150    | 02/06/2002 | TURTLENECK SHIRT &<br>SWEATER   | LEE, KYU NAM        |
| <u>29155163</u> | D476265       | 150    | 02/06/2002 | MULTIPURPOSE BAND   | LEE, KYU NAM        |
| <u>29130181</u> | D446893       | 150    | 09/28/2000 | INCLINABLE MOP HEADS<br>MOUNTED ON A VERTICALLY<br>ADJUSTABLE STAND FOR<br>ATTACHMENT TO A<br>TRANSPORT             | LEE, KYU H.         |
| <u>10136185</u> | 6648774       | 150    | 05/01/2002 | COMPOSITE GOLF CLUB HEAD<br>HAVING A METAL STRIKING<br>INSERT WITHIN THE FRONT<br>FACE WALL                         | LEE, KYU<br>WANG    |
| <u>10124789</u> | Not<br>Issued | 061    | 04/18/2002 | LUMINESCENT HORIZONTAL<br>THREE STRIPES BAND FOR<br>SPORTS APPARELS   | LEE, KYUNAM         |
| <u>10122157</u> | Not           | 095    | 04/15/2002 | POWER CONTROL METHOD  | LEE, KYUNG-         |



|                 |            |     |            |  |                 |
|-----------------|------------|-----|------------|--|-----------------|
|                 | Issued     |     |            | AND APPARATUS FOR FUSING ROLLER OF ELECTROPHOTOGRAPHIC IMAGE FORMING APPARATUS                           | WOO             |
| <u>10113791</u> | Not Issued | 161 | 04/01/2002 | PORTABLE MULTIMEDIA REPRODUCING APPARATUS  | LEE, KYU HO     |
| <u>10111270</u> | Not Issued | 071 | 04/19/2002 | PHARMACEUTICAL COMPOSITIONS AND PREPARATIONS FOR TREATMENT OF METABOLIC BONE DISEASE                     | LEE, KYUNG HEE  |
| <u>10106931</u> | 6678206    | 150 | 03/25/2002 | SEMICONDUCTOR MEMORY DEVICE INCLUDING STANDBY MODE FOR REDUCING CURRENT CONSUMPTION OF DELAY LOCKED LOOP | LEE, KYU-CHAN   |
| <u>10084448</u> | Not Issued | 030 | 02/28/2002 | METHOD FOR CONTROLLING MEMORY IN DIGITAL SYSTEM  | LEE, KYUNG MEE  |
| <u>10084372</u> | Not Issued | 030 | 02/28/2002 | METHOD FOR CONTROLLING MEMORY IN DIGITAL SYSTEM  | LEE, KYUNG MEE  |
| <u>10067265</u> | 6753265    | 150 | 02/07/2002 | METHOD FOR MANUFACTURING BIT LINE  | LEE, KYUNG WON  |
| <u>10066732</u> | Not Issued | 030 | 02/06/2002 | APPARATUS AND METHOD FOR CONTROLLING AUDIO NOISE ATTENUATION BY MONITORING BUFFER                        | LEE, KYUNG HEE  |
| <u>10060216</u> | Not Issued | 161 | 02/01/2002 | MAGNETIC BAG HANDLE  | LEE, KYU NAM    |
| <u>10038659</u> | 6646409    | 150 | 01/08/2002 | APPARATUS FOR CONTROLLING ROTATION SPEED OF MOTOR  | LEE, KYUNG HOON |
| <u>10038604</u> | Not Issued | 095 | 01/08/2002 | PERPENDICULAR MAGNETIC THIN FILM FOR ULTRAHIGH DENSITY RECORDING   | LEE, KYUNG-JIN  |
| <u>10020980</u> | Not Issued | 061 | 12/19/2001 | RECORDING MEDIUM FOR STORING WRITE PROTECTION INFORMATION AND WRITE PROTECTION METHOD THEREOF            | LEE, KYUNG-GEUN |
| <u>09976277</u> | Not Issued | 041 | 10/15/2001 | RECORDING MEDIUM STORING LINK INFORMATION AND APPARATUS AND METHOD FOR LINKING DATA                      | LEE, KYUNG-GEUN |
| <u>09912118</u> | Not Issued | 161 | 07/24/2001 | BINDER COMPOSITION FOR PHOTOCATALYTIC COATING AND PHOTOCATALYTIC   | LEE, KYUNG-IK   |

|                 |                |     |            |  |                    |
|-----------------|----------------|-----|------------|--|--------------------|
|                 |                |     |            | COATING FILM<br>MANUFACTURED USING THE<br>SAME   |                    |
| <u>09906303</u> | <u>6746951</u> | 150 | 07/16/2001 | BOND PAD OF<br>SEMICONDUCTOR DEVICE<br>AND METHOD OF<br>FABRICATING THE SAME   | LEE, KYUNG-<br>TAE |
| <u>09894100</u> | Not<br>Issued  | 030 | 06/28/2001 | DIGITAL FM RECEIVER FOR<br>RECOVERING FM DIGITAL<br>DATA FRAME IN MOBILE<br>COMMUNICATION SYSTEM                                     | LEE, KYUNG-<br>HA  |
| <u>09818342</u> | Not<br>Issued  | 161 | 03/27/2001 | GAIN-CLAMPED OPTICAL<br>FIBER AMPLIFIER  | LEE, KYU<br>HAENG  |
| <u>09794900</u> | <u>6703306</u> | 150 | 02/26/2001 | METHODS OF FABRICATING<br>INTEGRATED CIRCUIT<br>MEMORIES INCLUDING<br>TITANIUM NITRIDE BIT LINES                                     | LEE, KYU-PIL       |
| <u>09766406</u> | <u>6731345</u> | 150 | 01/22/2001 | METHOD AND APPARATUS<br>FOR SETTING ON-TIMER<br>CHANNEL OF DIGITAL<br>BROADCAST RECEIVER   | LEE, KYU HEON      |
| <u>09763238</u> | <u>6539891</u> | 150 | 02/14/2001 | CHEMICAL DEPOSITION<br>REACTOR AND METHOD OF<br>FORMING A THIN FILM USING<br>THE SAME  | LEE, KYU-<br>HONG  |
| <u>09760840</u> | Not<br>Issued  | 030 | 01/17/2001 | METHOD FOR IDENTIFYING<br>EXTENDER TEXT TABLE OF<br>ELECTRONIC PROGRAM GUIDE<br>IN DIGITAL TV  | LEE, KYUNG<br>MEE  |
| <u>09757408</u> | <u>6558377</u> | 150 | 01/09/2001 | EMBOLIC MATERIAL<br>DETACHMENT DETECTION<br>SYSTEM AND METHOD AND<br>ASSEMBLY FOR EMBOLIC<br>TREATMENTS                              | LEE, KYU-HO        |
| <u>09753187</u> | Not<br>Issued  | 030 | 01/02/2001 | DEVICE AND METHOD FOR<br>PERFORMING HANDOFF FROM<br>ASYNCR MOBILE<br>COMMUNICATION SYSTEM TO<br>SYNCR MOBILE<br>COMMUNICATION SYSTEM | LEE, KYUNG-<br>HA  |
| <u>09740558</u> | <u>6449027</u> | 150 | 12/19/2000 | IN PLANE SWITCHING MODE<br>LIQUID CRYSTAL DISPLAY<br>DEVICE AND METHOD FOR<br>MANUFACTURING THE SAME                                 | LEE, KYUNG HA      |
| <u>09737670</u> | <u>6485997</u> | 150 | 12/15/2000 | METHOD FOR<br>MANUFACTURING FRINGE   | LEE, KYUNG HA      |

|                 |                |     |            |   |                     |
|-----------------|----------------|-----|------------|---|---------------------|
|                 |                |     |            | FIELD SWITCHING MODE<br>LIQUID CRYSTAL DISPLAY<br>DEVICE  |                     |
| <u>09737395</u> | <u>6451273</u> | 150 | 12/15/2000 | METHOD OF PRODUCING AN<br>ACTIVE MINERAL LIQUID<br>FROM GRANITE   | LEE, KYU-HEON       |
| <u>09737372</u> | <u>6546234</u> | 150 | 12/15/2000 | APPARATUS AND METHOD<br>FOR COMPENSATING<br>RECEIVED SIGNAL STRENGTH<br>INDICATOR ACCORDING TO<br>TEMPERATURE   | LEE, KYUNG-<br>MIN  |
| <u>09718837</u> | <u>6380081</u> | 150 | 11/20/2000 | METHOD OF VAPORIZING<br>LIQUID SOURCES AND<br>APPARATUS THEREFOR  | LEE, KYU HONG       |
| <u>09711706</u> | <u>6633066</u> | 150 | 11/13/2000 | CMOS INTEGRATED CIRCUIT<br>DEVICES AND SUBSTRATES<br>HAVING UNSTRAINED<br>SILICION ACTIVE LAYERS  | LEE, KYUNG-<br>WOOK |
| <u>09705786</u> | <u>6432795</u> | 150 | 11/06/2000 | METHOD OF FABRICATING A<br>CYLINDRICAL CAPACITOR<br>STORAGE NODE HAVING HSG<br>SILICON ON INNER WALL<br>THEREOF IN A<br>SEMICONDUCTOR DEVICE  | LEE, KYU-<br>HYUN   |
| <u>09704655</u> | <u>6671238</u> | 150 | 11/03/2000 | PHYSICAL INDENTIFICATION<br>DATA ADDRESSING METHOD<br>USING WOBBLE SIGNAL,<br>METHOD OF DETECTING<br>WOBBLE ADDRESS ENCODING<br>CIRCUIT, METHOD AND<br>CIRCUIT FOR DETECTING<br>WOBBLE ADDRESS, AND<br>RECORDING MEDIUM<br>THEREFOR | LEE, KYUNG-<br>GEUN |
| <u>09704654</u> | <u>6744718</u> | 150 | 11/03/2000 | PHYSICAL INDENTIFICATION<br>DATA ADDRESSING METHOD<br>USING WOBBLE SIGNAL,<br>WOBBLE ADDRESS ENCODING<br>CIRCUIT, METHOD AND<br>CIRCUIT FOR DETECTING<br>WOBBLE ADDRESS, AND<br>RECORDING MEDIUM<br>THEREFOR                        | LEE, KYUNG-<br>GEUN |
| <u>09666857</u> | Not<br>Issued  | 083 | 09/21/2000 | APPARATUS FOR AND<br>METHOD OF DETECTING<br>REPRODUCTION SIGNAL BY<br>SELECTIVE COMBINATION   | LEE, KYUNG-<br>GEUN |

|                 |                |     |            |   |                   |
|-----------------|----------------|-----|------------|---|-------------------|
|                 |                |     |            | ACCORDING TO SYSTEM CONDITIONS  |                   |
| <u>09656238</u> | <u>6574189</u> | 150 | 09/06/2000 | CARTRIDGE HAVING SENSOR HOLE TO BE OPENED/CLOSED AND APPARATUS AND METHOD FOR DRIVING THE SAME  | LEE, KYU-HYEONG   |
| <u>09631206</u> | <u>6721311</u> | 150 | 08/01/2000 | SELF-ROUTING PERMUTATION NETWORKS BASED ON DE BRUIJN DIGRAPHS   | LEE, KYUNGSOOK Y. |
| <u>09610695</u> | <u>6744713</u> | 150 | 07/05/2000 | RECORDING MEDIUM FOR STORING WRITE PROTECTION INFORMATION AND WRITE PROTECTION METHOD THEREOF   | LEE, KYUNG-GEUN   |
| <u>09610381</u> | <u>6765853</u> | 150 | 07/05/2000 | RECORDING MEDIUM FOR STORING WRITE PROTECTION INFORMATION AND WRITE PROTECTION METHOD THEREOF   | LEE, KYUNG-GEUN   |
| <u>09604902</u> | <u>6548767</u> | 150 | 06/28/2000 | MULTI-LAYER PRINTED CIRCUIT BOARD HAVING VIA HOLES FORMED FROM BOTH SIDES THEREOF   | LEE, KYU-WON      |
| <u>09562918</u> | <u>6654326</u> | 150 | 05/02/2000 | AUTOMATIC TILT COMPENSATOR AND OPTICAL RECORDING/REPRODUCING APPARATUS HAVING THE SAME  | LEE, KYU-HYEONG   |
| <u>09553157</u> | <u>6751178</u> | 150 | 04/20/2000 | OPTICAL RECORDING MEDIUM AND RECORDING/REPRODUCTION METHOD THEREOF  | LEE, KYUNG-GEUN   |
| <u>09407114</u> | <u>6316295</u> | 150 | 09/27/1999 | THIN FILM TRANSISTOR AND ITS FABRICATION  | LEE, KYUNG-HA     |
| <u>09385415</u> | <u>6469979</u> | 150 | 08/30/1999 | METHOD FOR DETECTING SERVO ERROR, APPARATUS THEREFOR, DISK WHICH MAINTAINS QUALITY OF SERVO ERROR SIGNAL, METHOD OF CONTROLLING SERVO OF DISK RECORDING/REPRODUCING APPARATUS, METHOD OF DETECTING TRACKING ERROR, AND METHOD OF DETECTING TILT ERROR | LEE, KYUNG-GEUN   |



Search and Display More Records.

---

|                          | Last Name                        | First Name                       |                                       |
|--------------------------|----------------------------------|----------------------------------|---------------------------------------|
| Search Another: Inventor | <input type="text" value="LEE"/> | <input type="text" value="KYU"/> | <input type="button" value="Search"/> |
|                          |                                  |                                  |                                       |

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Monday  
Date: 7/26/2004

Time: 11:48:40


**PALM INTRANET**

## Inventor Name Search Result

Your Search was:

Last Name = LEE

First Name = KYU

| Application#    | Patent#    | Status | Date Filed | Title  | Inventor Name 51 |
|-----------------|------------|--------|------------|--|------------------|
| <u>60441182</u> | Not Issued | 020    | 01/21/2003 | BUCKLE   | LEE, KYU NAM     |
| <u>60433968</u> | Not Issued | 020    | 12/18/2002 | INFORMATION STORAGE MEDIUM AND METHOD FOR RECORDING AND/OR REPRODUCING THE SAME                          | LEE, KYUNG-GEUN  |
| <u>60431950</u> | Not Issued | 020    | 12/09/2002 | SULFAMIC ACIDS AS INHIBITORS OF HUMAN CYTOPLASMIC PROTEIN TYROSINE PHOSPHATASES                          | LEE, KYUNG-JOO   |
| <u>60425281</u> | Not Issued | 020    | 11/08/2002 | 3-SUBSTITUTED-6-ARYL PYRIDINES   | LEE, KYUNGAE     |
| <u>60407717</u> | Not Issued | 159    | 09/04/2002 | ONE SIZE FIT WEAR  | LEE, KYU NAM     |
| <u>60402544</u> | Not Issued | 159    | 08/12/2002 | INFORMATION STORAGE MEDIUM AND RECORDING AND/OR REPRODUCING METHOD THEREOF                               | LEE, KYUNG-GEUN  |
| <u>60402085</u> | Not Issued | 159    | 08/09/2002 | PHONECAP   | LEE, KYU NAM     |
| <u>29173157</u> | D492307    | 159    | 12/23/2002 | HOUSING FOR PORTABLE MEMORY UNIT   | LEE, KYU         |
| <u>29171272</u> | Not Issued | 077    | 11/18/2002 | HOUSING FOR PORTABLE MEMORY UNIT   | LEE, KYU         |
| <u>10322231</u> | Not Issued | 041    | 12/17/2002 | METHOD AND APPARATUS FOR CONVERTING A COLOR SPACE OF OSD   | LEE, KYU JAE     |
| <u>10320737</u> | Not Issued | 030    | 12/17/2002 | METHOD OF RECORDING ERASE PATTERN INFORMATION ON AN OPTICAL RECORDING MEDIUM, ERASING INFORMATION ON THE | LEE, KYUNG-GEUN  |

|                 |                |     |            |   |                   |
|-----------------|----------------|-----|------------|---|-------------------|
|                 |                |     |            | OPTICAL RECORDING MEDIUM BASED ON THE ERASE PATTERN INFORMATION, AND OPTICAL RECORDING MEDIUM THEREFOR                          |                   |
| <u>10320182</u> | Not Issued     | 030 | 12/16/2002 | DIGITAL FREQUENCY MODULATOR   | LEE, KYUNG-HA     |
| <u>10315286</u> | Not Issued     | 030 | 12/09/2002 | LEG MANIFOLD MOUNTING ARRANGEMENT   | LEE, KYUNG-TAE    |
| <u>10310996</u> | Not Issued     | 030 | 12/06/2002 | METHOD AND APPARATUS FOR RECORDING DATA ON WRITABLE COMPACT DISC  | LEE, KYUNG-GEUN   |
| <u>10297159</u> | Not Issued     | 030 | 02/03/2003 | SECURITY SYSTEM AND SECURITY INSPECTION METHOD USING PHYSICAL INFORMATION STORED IN STORAGE MEDIUM                              | LEE, KYUNG YUL    |
| <u>10295863</u> | Not Issued     | 041 | 11/18/2002 | NOVEL PARENTERAL COMPOSITION COMPRISING PROPOFOL  | LEE, KYU-HYUN     |
| <u>10295452</u> | Not Issued     | 061 | 11/15/2002 | TAIL GATE LOCKING SYSTEM  | LEE, KYUNG CHOONG |
| <u>10289870</u> | Not Issued     | 030 | 11/07/2002 | LIQUID CRYSTAL DISPLAY  | LEE, KYU-HUN      |
| <u>10287585</u> | <u>6767129</u> | 150 | 11/05/2002 | MICROWAVE POWER SENSOR AND METHOD FOR MANUFACTURING THE SAME  | LEE, KYUNG IL     |
| <u>10287357</u> | Not Issued     | 161 | 11/04/2002 | ROAD SURFACE BRAKING SYSTEM   | LEE, KYU H.       |
| <u>10273158</u> | Not Issued     | 030 | 10/18/2002 | MATRIX-TYPE DISPLAY DEVICE CAPABLE OF BEING REPAIRED IN PIXEL UNIT  | LEE, KYUNG-NAM    |
| <u>10270052</u> | <u>6661992</u> | 150 | 10/15/2002 | FUSING ROLLER FOR AN ELECTROPHOTOGRAPHIC IMAGE FORMING APPARATUS HAVING QUICK WARM UP TIME AND UNIFORM TEMPERATURE DISTRIBUTION | LEE, KYUNG-WOO    |
| <u>10269088</u> | Not Issued     | 030 | 10/11/2002 | HIGH-DENSITY INFORMATION STORAGE MEDIUM AND METHOD THEREOF  | LEE, KYUNG-GEUN   |
| <u>10268086</u> | <u>6690907</u> | 150 | 10/10/2002 | FUSING APPARATUS OF ELECTROPHOTOGRAPHIC IMAGE FORMING APPARATUS   | LEE, KYUNG-WOO    |

|                 |                |     |            |   |                     |
|-----------------|----------------|-----|------------|---|---------------------|
|                 |                |     |            | AND METHOD OF<br>MANUFACTURING THE SAME   |                     |
| <u>10265138</u> | Not<br>Issued  | 030 | 10/07/2002 | TOPOGRAPHER AND METHOD<br>FOR MAPPING CORNEAL<br>SURFACE  | LEE, KYU<br>HAENG   |
| <u>10259802</u> | Not<br>Issued  | 030 | 09/30/2002 | OPTICAL DISC  | LEE, KYUNG-<br>GEUN |
| <u>10258278</u> | <u>6703436</u> | 150 | 10/23/2002 | NEOPENTYLGLYCOL ESTER<br>BASED PLASTICIZER<br>COMPOSITION FOR<br>POLYVINYL CHLORIDE RESIN<br>AND METHOD OF PROCESS<br>THEREOF | LEE, KYU-IL         |
| <u>10256244</u> | Not<br>Issued  | 030 | 09/27/2002 | METHOD OF AND APPARATUS<br>FOR RECORDING DATA ON<br>OPTICAL RECORDING<br>MEDIUM   | LEE, KYUNG-<br>GEUN |
| <u>10252693</u> | <u>6665504</u> | 150 | 09/24/2002 | FUSING DEVICE OF<br>ELECTROPHOTOGRAPHIC<br>IMAGE FORMING APPARATUS  | LEE, KYUNG-<br>WOO  |
| <u>10251478</u> | Not<br>Issued  | 030 | 09/19/2002 | SYSTEM AND METHOD FOR<br>FINANCIAL TRANSACTIONS   | LEE, KYUNG-<br>BAE  |
| <u>10243784</u> | Not<br>Issued  | 161 | 09/12/2002 | MULTI-CHIP PACKAGE<br>HAVING SPACER THAT IS<br>INSERTED BETWEEN CHIPS<br>AND MANUFACTURING<br>METHOD THEREOF                  | LEE, KYU JIN        |
| <u>10241314</u> | Not<br>Issued  | 161 | 09/10/2002 | MOS-GATED POWER<br>SEMICONDUCTOR DEVICE   | LEE, KYU-HYUN       |
| <u>10231029</u> | <u>6703677</u> | 150 | 08/30/2002 | SUBMOUNT INTEGRATED<br>PHOTODIODE AND LASER<br>DIODE PACKAGE USING THE<br>SAME  | LEE, KYUNG HO       |
| <u>10227041</u> | Not<br>Issued  | 030 | 08/23/2002 | BLOCK INTERPOLATION<br>FILTER STRUCTURE USING<br>LOOKUP TABLE   | LEE, KYU-HA         |
| <u>10225099</u> | Not<br>Issued  | 030 | 08/20/2002 | METHODS AND SYSTEMS FOR<br>IMPLEMENTING AUTO-<br>COMPLETE IN A WEB PAGE   | LEE, KYU-<br>WOONG  |
| <u>10224965</u> | <u>6774781</u> | 150 | 08/20/2002 | SEATBELT SIGNAL LIGHT   | LEE, KYUNG<br>SANG  |
| <u>10213773</u> | Not<br>Issued  | 030 | 08/06/2002 | METHODS AND SYSTEMS FOR<br>AUTOMATICALLY UPDATING<br>SOFTWARE COMPONENTS IN A<br>NETWORK                                      | LEE, KYU-<br>WOONG  |



|                 |                |     |            |   |                  |
|-----------------|----------------|-----|------------|---|------------------|
| <u>10211681</u> | <u>6766264</u> | 150 | 08/02/2002 | METHOD AND APPARATUS FOR CALIBRATING PARAMETERS TO BE USED IN A DIGITAL CIRCUIT SIMULATION                      | LEE, KYUNG       |
| <u>10207169</u> | <u>6730975</u> | 150 | 07/30/2002 | DRAM DEVICE   | LEE, KYU-HYUN    |
| <u>10204906</u> | Not Issued     | 030 | 08/26/2002 | MICROORGANISM PRODUCING L-LYSINE AND PROCESSES FOR PRODUCING L-LYSINE USING THE SAME                            | LEE, KYUNG-HAN   |
| <u>10204621</u> | Not Issued     | 089 | 08/22/2002 | TRIMETHYLOLPROPANE ESTER-BASED PLASTICIZER COMPOSITION FOR POLYVINYL CHLORIDE RESIN                             | LEE, KYU-IL      |
| <u>10202610</u> | Not Issued     | 161 | 07/25/2002 | HIGH DENSITY OPTICAL DISK   | LEE, KYUNG-GEUN  |
| <u>10200974</u> | Not Issued     | 030 | 07/24/2002 | DISPLAY APPARATUS HAVING TV TUNER AND METHOD THEREOF  | LEE, KYUNG-KYUN  |
| <u>10199146</u> | Not Issued     | 041 | 07/19/2002 | COMPOUND YARN WITH HIGH ABSORBENCY AND FABRIC MADE THEREFROM  | LEE, KYUNGJU     |
| <u>10188311</u> | Not Issued     | 030 | 07/03/2002 | HIGH DENSITY DISC   | LEE, KYUNG-GEUN  |
| <u>10182433</u> | Not Issued     | 020 | 07/24/2002 | TRANSGENIC GOAT PRODUCING MILK CONTAINING HUMAN GRANULOCYTE-COLONY STIMULATING FACTOR                           | LEE, KYUNG-KWANG |
| <u>10129739</u> | Not Issued     | 030 | 08/29/2002 | CATALYST FOR PREPARING HYDROCARBON  | LEE, KYU-WAN     |
| <u>10084372</u> | Not Issued     | 030 | 02/28/2002 | METHOD FOR CONTROLLING MEMORY IN DIGITAL SYSTEM   | LEE, KYUNG MEE   |
| <u>09780830</u> | <u>6498092</u> | 150 | 02/09/2001 | METHOD OF MAKING A SEMICONDUCTOR DEVICE HAVING DUAL DAMASCENE LINE STRUCTURE USING A PATTERNED ETCHING STOPPER  | LEE, KYUNG-TAE   |
| <u>09704834</u> | Not Issued     | 093 | 11/03/2000 | PHYSICAL IDENTIFICATION DATA ADDRESSING METHOD USING WOBBLE SIGNAL, WOBBLE ADDRESS ENCODING CIRCUIT, METHOD AND | LEE, KYUNG-GEUN  |

|                 |               |     |            |   |                     |
|-----------------|---------------|-----|------------|---|---------------------|
|                 |               |     |            | CIRCUIT FOR DETECTING<br>WOBBLE ADDRESS, AND<br>RECORDING MEDIUM<br>THEREFOR  |                     |
| <u>09704656</u> | Not<br>Issued | 092 | 11/03/2000 | PHYSICAL IDENTIFICATION<br>DATA ADDRESSING METHOD<br>USING WOBBLE SIGNAL,<br>WOBBLE ADDRESS ENCODING<br>CIRCUIT, METHOD AND<br>CIRCUIT FOR DETECTING<br>WOBBLE ADDRESS, AND<br>RECORDING MEDIUM<br>THEREFOR | LEE, KYUNG-<br>GEUN |

Search and Display More Records.

Search Another: Inventor

Last Name

LEE

First Name

KYU

Search

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)